

TERSANO

Stabilised Aqueous Ozonated Water

- LotusPro V9 SAO Dispenser
- IClean Dashboard



YOUR EXPERIENCED AUTHORIZED DISTRIBUTOR
ProMedUSA Pte Ltd

111 North Bridge Road ♦ #08-27 Peninsula Plaza ♦ Singapore 179098
(65) 6836 9665 ♦ Sales@promedusa.us ♦ www.promedusa.us

lotus[®] PRO V9

Using patented technology, **lotus[®] PRO V9** transforms tap water into **Stabilized Aqueous Ozone (SAO[®])**: your simple, safe, sustainable alternative to traditional chemicals.

As an all-in-one cleaner, disinfectant*, and deodorizer, SAO **replaces up to 90% of chemicals** in the janitor's closet, reducing costs, simplifying processes, and improving your site's safety and sustainability.

As the world's first dispenser to use IoT, lotus PRO V9 sends real-time data to the **iClean[®] Dashboard**, providing analytical insights on all dispenser activity.



- ✓ **Simple:** no more purchasing, transporting, storing, or managing various cleaning chemicals.
- ✓ **Safe:** free of toxins, irritants, fragrances, dyes, preservatives, quats, and residues.
- ✓ **Smart:** captures and reports live usage and sustainability data on the iClean Dashboard.
- ✓ **Sustainable:** provides significant plastic, chemical, and carbon reductions.

SAO[®] is an All-In-One Solution

- Glass, mirrors, stainless steel, chrome
- Flooring, hardwood, tile, vinyl
- Concrete, terrazzo, stone
- Carpet, fabric
- Shelving, seating, tables
- Showers, bathtubs, toilets, sinks
- Electronic devices
- Handrails, escalators, elevators



TECHNICAL SPECIFICATIONS

DEVICE: lotus[®] PRO V9 | **SOLUTION:** Stabilized Aqueous Ozone (SAO[®])

The **lotus[®] PRO V9** uses patented technology to convert tap water into **Stabilized Aqueous Ozone (SAO[®])**: a simple, safe, sustainable alternative to traditional cleaners.

Dispense SAO into spray bottles, mop buckets, floor scrubbers, or carpet extractors for cleaning, disinfecting, and deodorizing.

With **IoT integration**, lotus PRO V9 sends data to the **iClean Dashboard**, allowing users to track usage and sustainability insights in real time.



lotus [®] PRO V9		Cartridge	SAO-4	SAO-24
Model Number	LQFC225 (NA) LQFC275 (International)	Model Number	LCA114K-FB	LCA118K-FB
Dimensions	57 x 47 x 25 cm (22 ½" x 18 ½" x 10")	Disinfecting	4 Hours	24 Hours
Net Weight	11.3 kg (25 lbs)	Cleaning	3 Days	6 Days
Flow Rate	Up to 11.5 lpm (3 gpm)	Cartridge Life	5,000 Liters (1,325 Gallons)	3,000 Liters (800 Gallons)
O ₃ Concentration	Up to 1.7 ppm	Dimensions	49 x 18 x 21 cm (19 ¼" x 7 ¼" x 8 ¼")	49 x 18 x 21 cm (19 ¼" x 7 ¼" x 8 ¼")
Power	Standard 110V & 220V 110 watts	Weight	7.5 kg (16.5 lbs)	7.5 kg (16.5 lbs)
Water Temperature	4-40 °C (39-104 °F)			
Water Quality	Clean, TDS 60-200 ppm			
Wi-Fi Network	2.4 GHz			
Backflow	Built-in mechanical backflow prevention			
Automatic Shut Off	30 minutes			





SCAN FOR DASHBOARD VIDEO

iClean[®] Dashboard

Welcome to the iClean Dashboard, your universal platform for monitoring and managing all your tersano technologies in one place. Using IoT, iClean Dashboard collects and reports data in real-time to help you plan inventory, enhance productivity, and measure your site's progress toward sustainability goals.



Track Sustainability

Access chemical, plastic, and carbon reductions with real-time data report generation.

Monitor Usage

Get instant usage insights, monitor cartridge life, and always stay supplied.

Get Support

Access customer support at the Help Desk, submit tickets, and chat with an agent.

Manage Inventory


Toggle between daily, weekly, and monthly averages to forecast inventory.

View Remotely

Reduce machine downtime by monitoring your device status from anywhere.

Optimize Workflow

Analyze activity, staff cleaning times, and ensure product usage is on track.



V2-0925

SIMPLE · SAFE · SUSTAINABLE

ProMedUSA Pte Ltd • 111 North Bridge Road • #08-27 Peninsula Plaza • Singapore 179098
Tel: (65) 6836-9665 • www.promedusa.us • sales@promedusa.us

SINGAPORE • MALAYSIA • INDONESIA • PHILIPPINES • BRUNEI • THAILAND • CAMBODIA • MYANMAR • VIETNAM • CHINA